In the Claims:

Please amend the claims as follows:

- 1. (Currently Amended) A remote target control system comprising:
- a telephone,

an interface disposed in communication with the telephone, and

a computer disposed in communication with the interface and at least one <u>shooting</u> target for selectively actuating a <u>shooting</u> target in response to signals received from the telephone.

- 2. (Original) The remote target control system according to claim 1, wherein the telephone comprises a cordless handset and a base unit.
- 3. (Original) The remote target control system according to claim 1, further comprising a controller disposed in communication with the computer and the interface for actuating at least one target.
- 4. (Original) The remote control target system according to claim 1, wherein the interface communicates with the controller, and wherein the controller communicates with the computer.
- 5. (Original) The remote control target system according to claim 1, wherein the computer runs a predetermined program for actuating computers, and wherein the telephone is usable to override the predetermined program.
- 6. (Currently Amended) A remote target control system comprising:

- a cordless telephone and
- a <u>shooting</u> target range device disposed in communication with the cordless telephone and responsive to signals generated by use of the cordless telephone to selectively actuate targets.
- 7. (Currently Amended) The remote control system according to claim  $\underline{6}$  1, further comprising an interface disposed in communication with the cordless telephone and the target range device.
- 8. (Original) The remote control system according to claim 7, further comprising a controller disposed in communication with the interface and configured to send signals for actuating targets.
- 9. (Original) The remote control system according to claim 7, further comprising a computer disposed in communication with the interface.
- 10. (Original) The remote control system according to claim 7, wherein the computer is programmed to run programs for actuating targets, and wherein signals from the telephone override the computer.
- 11. (Currently Amended) A remote target control system comprising:
- a telephone;
- a controller disposed in communication with the telephone; and
- a plurality of <u>shooting</u> target range devices disposed in communication with the controller and responsive to signals conveyed by the controller.

- 12. (Original) The remote target control system of claim 11, wherein the telephone comprises a cordless telephone.
- 13. (Original) The remote target control system according to claim 11, wherein the controller comprises a touch tone decoder.
- 14. (Original) The remote target control system according to claim 11, wherein the interface comprises an analog circuit.
- 15. (Original) The remote target control system according to claim 12, further comprising a computer disposed in communication with the controller.
- 16. (Original) The remote target control system according to claim 12, further comprising an interface disposed between the telephone and the controller.
- 17. (Currently Amended) A method for actuating a <u>bullet</u> target, the method comprising; pressing a key on a telephone to develop a signal; conveying the signal to a controller; and actuating a target responsive to the signal received by the controller.
- 18. (Original) The method according to claim 17, wherein the method further comprises passing the signal through an interface.

- 19. (Original) The method according to claim 17, wherein the method comprises conveying the signal to a computer.
- 20. (Original) The method according to claim 19, wherein the computer runs a target control program and wherein the signal overrides the target control program.
- 21. (Original) The method according to claim 17, wherein the telephone is a cordless telephone.
- 22. (Original) The method according to claim 17, wherein the controller has a plurality of lines disposed in communication with a plurality of targets and wherein the controller sends a signal over a specific line responsive to the signal generated by the telephone.